



Everything under control

Hatox wireless remote controls

As a manufacturer of wireless control systems Hatox has gained a worldwide reputation for being a pioneer with regard to innovation and individual solutions.

Hatox cooperates mainly with OEM customers in the area of mobile hydraulics, logistics, automotive, industrial and agricultural technology.



HATOX GmbH
Von-Drais-Straße 9/1
75217 Birkenfeld
Germany
Fon +49 7231 13323-0
Fax +49 7231 298068-8
sales@hatox.com



Customer Focus
Flexibility
Modularity



More information at www.hatox.com



Wireless Remote Controls



Product overview

RADIO SYSTEMS

HATLITE



- Rubber housing for extreme rough applications
- Customized assembling of joysticks, push buttons and display
- Graphic display with signal strength, battery condition, frequency indication, etc. and CAN-bus-data
- Graphic display with backlight; automatic illumination via light sensor
- 1–3-axis joysticks, optionally with deadman switch
- Waist or shoulder belt, elastic sewn in belt for spare batteries

HATWHEEL



HRXCON



HATBAT



- Customized layout
- Graphic display with signal strength, battery condition, frequency indication, etc. and CAN-bus-data
- Permanent operation up to 40 hours possible (without backlight) with rechargeable batteries of 2700 mAh
- Scalable housing technology
- Customized layout
- Robust housing with aluminum profile
- Protective bars to prevent unintentional operation

JTXCON



RACCON ANALOG



- Customized assembling of push buttons and display
- Graphic display with signal strength, battery condition, frequency indication, etc. and CAN-bus-data
- Disposable standard AA-batteries or rechargeable batteries may be used
- Permanent operation up to 40 hours possible (without backlight) with rechargeable batteries of 2700 mAh
- “Listen before talk”-technology
- Several systems can be operated at the same time
- Integrated antenna

RACCON DIGITAL



CAN-COMPONENTS

CAN-DISPLAY



- Customized layout of foil
- Graphic display 128 × 64 dots with white backlight (optionally RGB backlight)
- 12 superbright LEDs for illumination of the symbols
- 1 CAN-Interface
- 1 stop-function / current 5 A / short-circuit protected
- “Listen before talk” technology
- Several systems can be operated at the same time without disturbing each other

CAN-TRX-RECEIVER

